



# AVP 450

Volvo Penta  
Mecc Alte  
D+ &



1

Manufacturer		Volvo Penta		
Model		TAD1344GE		
		% \$ \$	"# "	
		399,00 kw [543,00HP]		
	L	12,780		
	"	131X158		
		18,1:1		
	fl # 7	"# "	1500	
	fl 7	L	36,00	
		L	44,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	28,00		
	' # "	390,00		
	' # "	67,50		
	° C	465,00		
		24 V d.c.		
	Load	% \$ \$	'+)	) \$
	# "			
		83,10	63,30	42,80

2

		Mecc Alte		
		ECO40 2S/4		
	Hz	50		
	"	450,00		
7cg'		0,80		
		3		
	fl 7	400/230		
	A	649,50		

3


		fl 7		fl 7	
	"	"	"	"	L
AVP 450		3213,00	1550,00	1855,00	700,00
		fl 7		fl 7	
	"	"	"	"	L
MS 70	4200	4460	1606	2477	700

# AVP 450

Volvo Penta  
Mecc Alte  
D+' &'



## 1 D+' &'



## 2

8G9ž +' &\$ž ) 5ž&&\$#(\$

## 3

## 4

## 5

8G9+' &\$ž &&\$' ž

8G9+' &\$ž 8G9+' &\$ž

% &1 \*(' žFG&' &žFG(,) ž

ž

# AVP 450

Volvo Penta  
Mecc Alte  
D+ &



f@z@Bl  
f@z@Bl

"z" "z"

f@z@Bl

971

#

#

#

#



f&%) +L

f&)(, L

f&%) \$L

6G'9B '\*\$-\$)'\$

6G'9B '\*%\$\$\$!\*!&

6G'9B '\*%\$\$\$!\*!(

#



ž

%, !&\*(

&(\$)

ž

ž


GA 8

!&+""

ž

# AVP 450

Volvo Penta  
Mecc Alte  
D+ &



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 in front and back side special large access doors for easy maintenance
- 9 Base frame -fuel tank.
- 10 Lifting points similar to ISO container , located on each top corner of the canopy
- 11 the canopy provides easy access to radiator cap.
- 12 sound proofing materials
- 13 Plastic air intake pockets.

	"	1606
fl "L	"	4460
fl "L	"	2477
	L	700